



THE COMPLETE FUEL MANAGEMENT SOLUTION

THE SELF SERVICE 2.0 SYSTEM

FNHANCE YOUR EUE MANAGEMENT TAILORED FOR ANY FIFF DIMENSION.

The new Self Service 2.0 system is the most advanced response for the need to manage a fuel delivery system.

Our distinctive software means that the system is powerful, but never complex.

An innovative concept that has guided the PIUSI development team to seek the utmost simplicity in order to improve your everyday work.

Are you ready to switch it on?

piusi.com

SSM 2.O: SUITABLE FOR ANY FLUID THE KEY TO REDUCE FUEL COSTS



75

EXPANDABLE MULTI SYSTEM





Office and local installation

Remote location

To better meet the market needs, we created new tailored software bundles for all company fleets, from the smallest to the largest, single and multi-site.



➢ Multi site installation with remote and local dispensers connected via LAN/Wi-Fi/4G
 + SSM 2.0 CLOUD service enabled



YOUR FUEL MANAGEMENT SYSTEM 2.0



piusi.com PIUSI

THE 2.0 COMPLETE RANGE HARDWARE & SOFTWARE





2.0 FMS RANGE KEY POINTS OPTIMIZED MANAGEMENT



piusi.com

PILS



A unique solution that gives you complete control over your fleet:

monitor the fuel levels of your tanks, drivers & vehicles consumptions and obtain detailed reports.



1. TANK WATCHDOG INTUITIVE, ACCURATE, CONSTANT CONTROL

SSM 2.O system features an OCIO 2.O level indicator which allows you to monitor the fluid level in your tanks.

- Real-time monitoring
- Fluid inventory value & quantity
- Fuel suppliers management
- Intuitive interface
- Advanced reporting with various customization parameters
- Ability to export data in .xls, .csv or .pdf

MONITORING


The system allows **real time monitoring** of the tank level and **gives alarms** in case of malfunction or low levels.



10



Software 2.0



2 · DRIVERS COMPREHENSIVE RECORDS



piusi.com



Thanks to the new Self Service Management 2.0 you can manage up to 1000 drivers.

Using the driver and the vehicle keys, you can analyse the driving behaviour of individual users. Quick search, selection filters and different display modes are also available.

 Ability to see anomalous driver behavior immediately

 Ability to suspend or limit delivery to certain users

 Limit driver's refuelling quantity, daily, weekly or monthly

Consumption alarms

Controlled access to your dispensers

3 · VEHICLES TO KNOW EVERY DETAIL

Manage your fleet at a glance: group the vehicles by different options and personalize every single one choosing form a variety of categories. Define the vehicle tank size and set the standard consumption range.

- Abnormal consumption alarms
- Possibility of managing the AdBlue[®] tank for each vehicle
- Simplified visual interface with vehicle icons
- Highly customizable advanced reporting

PILIEI SELF SERVICE MAINAGEMENT 2.0 VEHICLES **CUSTOMIZE** Vehicles to recognize them instantly. DISHEONE HUUS BC173JU AJ1515Y ATILAZ BC2B03CI BF174UK **BN209QR** BR91UD AND IN TRACTORY OF 200 0 2 2 1 USINE USINE Berthey Contract DISABLE





FS207CQ

Variables Barrie GL C

DRIVERS

VEHICLES



FY299ZW

Hones CO1058



CD153XX

Anarda Colina

GA162RB

Severa CALLET



CUBGEI

BMW John

GA68GU

#CRADICO MICH



6.4ct them they

HH55WC

Kip Caldenza

Transmitting (1)

GO81PU

REALIZED MICH















HR283GP

Aud Control to





MANAGE

Enable the AdBlue[®] tank and

define the standard consumption range.





Software 2.0

4 · REPORT WHEN YOU NEED TO ANALYZE

The Self Service Management 2.0 system provides powerful analysis and reporting tools.

Different types of charts and customizable time intervals

can help you manage the consumption of every vehicle, every driver or category.

- Reports available for tanks, types of fluids, drivers, vehicles or category
- Fast data processing
- Ability to export data in .xls, .csv or .pdf









GROUP

Organize your transactions using a variety of different filters.

MONITOR

Control the level of each tank over time.

VALUE

The cost of the consumption for every distance.

2.0 SOFTWARE PROGRAM OFFER HOW MUCH POWER DO YOU NEED?





Self Service Management 2.0 is available in a **complete range of versions** developed for your needs.

From small fleets up to the biggest, the software is optimized to give you the perfect answer when you are looking for **high performance and maximum usability**.

You can use the software on multiple workstations by purchasing additional **SSM 2.0 CLIENT** licenses.



•

-2

			SSM 2.0 ENTRY	SSM 2.0 ADVANCED	SSM 2.0 SUITE
TECHNICAL SPECIFICATIONS			2.0	YEAR 2018 SOFTWARE PROGR	AM
2		DRIVERS	50	250	1.000
N		VEHICLES	50	250	1.000
2		DISPENSERS	2	4	20
N		οςιο	2	4	20
2		DASHBOARD	\checkmark	~	\checkmark
N	C	AUTOMATIC UPDATE	\checkmark	~	~
2		SSM 2.0 CLOUD	\checkmark	~	\checkmark
N	AdBlue management	AdBlue® VEHICLE TANK MANAGEMENT	\checkmark	\checkmark	~

POSSIBLE CONNECTIONS SYSTEM ALWAYS CONNECTED, ANYWHERE

Self Service Management 2.O adapts easily to all site installations thanks to the **various data transfer methods that allow to control and collect all the information** regarding your site in every condition.

piusi.com



PW MOBILE 4G DATA TRANSFER FROM ANYWHERE

The R&D and IT departments have developed a **new communication system** that allows to install the SSM 2.0 FMS anywhere in the world even without LAN or Wi-Fi network.

PW MOBILE 4G allows you to transfer data using the **mobile 4G network**. Software 2.0



HARDWARE 2.0 THE TOP FOR DISPENSING

piusi.com



Self Service Management 2.0 runs only with the dedicated range of Self Service 2.0 dispensing devices.

- The highest technical performance and reliability, all from one supplier
- Bi-directional communication between the dispenser and the PC
- Built-in LAN connection
- Made in Italy; quality guaranteed by PIUSI



Upgrade your site to the 2.0 level using your existing equipment.

MCBOX 2.0



N

- AC pump Pulse meter
- Nozzle contact
- Tank level indicator

OCIO 2.0

Advanced tank level indicator.





The level of the fluid is shown on the device itself or on your PC.

inside the tank.





This all-in-one device represents the **state-of-the-art technology** among the PIUSI range of dispensers.



Main features:

- Flow rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB
- PIUSI water captor filter included
- Integrated nozzle contact
- Built-in OCIO tank
 level indicator
- Printer

SELF SERVICE MC 2.0

The perfect solution dedicated to whom who needs **a complete dispenser** for diesel.



Main features:

- Flow rate up to
 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB
- PIUSI water captor filter included
- Integrated nozzle contact

CUBE MC 2.0

Cube MC 2.0 is the **upgraded version** of the world famous PIUSI Cube dispenser. It can be installed both on the wall or using the pedestal (optional).



Main features:

- Flow rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB

SSM 2.0 CLOUD CONTROL YOUR SITE REMOTELY

SSM2.OCLOUD



SSM 2.0 CLOUD is the new application that lets you **control your refuelling sites remotely** and manage several installations at the same time.

- With SSM 2.0 CLOUD you can fully monitor the equipment of each site and immediately control their details and alarms
- Wherever you are, you can easily manage your fleet of drivers and vehicles


22

The interface is intuitive as always, yet even simpler: each section gives you an overview of the situation, and the status icons tell everything you need to know

TRY & BUY

SSM 2.0 CLOUD is now available in the TRY & BUY mode: a free 6-month trial of the CLOUD service made available by PIUSI, which allows you to manage your system from any device or tablet. Once the free 6-month trial has ended, you can proceed with the purchase keeping in cloud the data used during the trial period. Ask your dealer for further details!

SSM 2.0 CLOUD DISCOVER THE POSSIBILITIES



SSM 2.0 CLOUD

SELF SERVICE MANAGEMENT 2.0 PRODUCTS RANGE



Are you still hesitating to make a real step into the future by using the new Self Service Management 2.0?

SOFTWARE 2.0 · USB CODE		DESCRIPTION	SOFTWARE 2.0 · WEB CODE		DESCRIPTION	
Ţ	¥ F00772050	SSM 2.0 ENTRY		V F00772250	SSM 2.0 ENTRY · WEB EDITION	
	Y FO077202A	SSM 2.0 ADVANCED		V FOO77222A	SSM 2.0 ADVANCED • WEB EDITION	
	Y F0077204A	SSM 2.0 SUITE		V FOO77224A	SSM 2.0 SUITE • WEB EDITION	
	Y F00772000	F00772000 SSM 2.0 CLIENT*		¥ F00772200	SSM 2.0 CLIENT* • WEB EDITION	

* The purchase of additional Client licenses enables you to use the various versions of Self Service Management 2.0 on multiple workstations.

• 1280 x 800 display • Internet connection and registration are necessary for required software activation

(only for Web Edition), membership validation, software updates and access to online services.

CLOUD 2.0 · CODE DESCRIPTION		CONNEG	CTIONS · WEB CODE	DESCRIPTION
ONLINE PURCHASE	SSM 2.0 CLOUD	P	¥ F2O552O1O	MANAGER KEY 2.0
		σ	¥ F1226201A	KIT KEY READER SELF SERVICE 2.0
Intel® Pentium® 4 or AMD Athlon® 64 processor (2 GHz or faster) • Microsoft® Windows® XP with Service Pack 3, Microsoft® Windows® Vista with Service Pack 2, Microsoft® Windows® Server 2008, Microsoft® Windows® Server 2012, Microsoft® Windows® 7 with Service Pack 1, Windows 8, Windows 8.1 or Windows			S F1271012A	PW WIFI 2.0
10 • 2 GB of RAM • 20 GB of available hard-disk s	pace (cannot install on removable flash storage devices) zistration are necessary for required software activation		¥ F12710140	PW MOBILE 4G

DISPENSERS PRODUCTS RANGE

Contact your nearest PIUSI dealer to learn more about all the opportunities that **could improve your day-to-day business**. **Choose the reliability and innovation of PIUSI products.** Thanks to the 2.0 product range, you will discover a new way to make your work day more precise, practical and safe.

Switch to PIUSI 2.0 products and discover the market's **new benchmark in fluid management**.

DISPENSERS · CODE		DESCRIPTION	FLUIDS	FLOW-RATE		VOLTAGE AC V/Hz Power Watt Amp. max.		Amp. max.
9	Y FOO59600A	CUBE 70 MC 2.0	D	70	18	230/50	900	4.9
	Y FOO59610A	CUBE 90 MC 2.0	D	90	24	230/50	900	4.9
	¥ F00743010	SELF SERVICE 100 FM 2.0	d B	90	24	230/50	1150	5.7
	Y FO074302A	SELF SERVICE 100 MC 2.0	d B	90	24	230/50	1150	5.7
	Y F00743060	SELF SERVICE 70 MC 2.0 for AdBlue®	U	34	9	230/50	400	1.95
	¥ F0059701A	MCBOX LAN 2.0	BDGOK	/	/	230/50	35	6.5
	¥ F0059701A	MCBOX WIFI 2.0	B D G O K	/	/	230/50	35	6.5

A Antifreeze B B2O with concentration up to 20% in diesel D Diesel G Gasoline K Kerosene O Oil U AdBlue® W Water W Windscreen





ACCESSORIES PRODUCTS RANGE

Thanks to the range of Self Service Management 2.O accessories, the system becomes **increasingly flexible and adaptable to your needs**.

ACCES	SORIES · CODE	DESCRIPTION	0010	CODE	DESCRIPTION
P	¥ F15904000	USER KEY (yellow key • 10 pcs)		¥ FO0755260	LEVEL IND. OCIO 2.0 LAN
	¥ F17299000	VEHICLE KEY (blue key • 10 pcs)		¥ FOO75521A	LEVEL IND. OCIO 2.0 WIFI
Ĵ	¥ F1270800C	PEDESTAL (Cube)		¥ FO0755220	LEVEL IND. OCIO 2.0 RS485
	N R12737000	KIT WALL SUPPORT (Cube)			

KIT UPGRADE		CODE	DESCRIPTION	
H	The range of 2.0 products requires the use of Self Service Management 2.0 software. Simply replacing the electronic board of SS FM	SS MC LAN F19225000	KIT UPGRADE SELF SERVICE MC	
	 Management 2.0 software. Simply replacing the electronic board of SS FM and SS MC, your columns can communicate with the system 2.0. All with the highest electrical and mechanical compatibility, to have all advantages of 2.0 and no difficulty. 	SS FM LAN F19226000	KIT UPGRADE SELF SERVICE FM	

piusi.com





RUN YOURSITE EFFCENTLY: SSM 2.0

Self Service Management 2.O is the Fuel Management System by PIUSI available worldwide through a professional network of authorized dealers.

Get in touch with our local partners or contact PIUSI directly to customize your SSM 2.0 system.



MADE IN ITALY

piusi.com

PIUSI S.p.A. • 46O29 Suzzara (Mantova) Italy tel. +39 O376 534561 • fax +39 O376 536393 • piusi@piusi.com

piusiusa.com

PIUSI USA, Inc. • 3901 Anglers Ave Fort Lauderdale, FL 33312 tel. 954 584 1552 • fax 954 584 1554 • piusiusa@piusiusa.com